

NEW JERSEY STATE RESOURCES

Mental Health Resources in the State of New Jersey

[The New Jersey Division of Mental Health and Addiction Services](#) serves individuals with mental illnesses and/or substance abuse problems and assists their family members.

[The New Jersey Department of Children and Families](#) is the state's first comprehensive agency dedicated to ensuring the safety, well-being and success of children, youth, families and communities.

[The Mental Health Association in New Jersey](#) strives for mental health for children and adults through advocacy, education, training, and services.

[Veterans Counseling Hotline](#). The new toll-free number will provide immediate assistance to veterans suffering from psychological or emotional distress as well as those having difficulty re-assimilating back into civilian life following the conclusion of their mobilization for active duty service.

[NJ Self-Help Group Clearinghouse](#). Self-help groups are member-run support groups, where people facing the same stressful situation come together regularly to help one another. Most of the self-help groups listed on our Clearinghouse database can better be described as mutual aid support groups because they derive their energy from members helping one another.

[Register Ready – New Jersey's Special Needs Registry for Disasters](#). Allows NJ residents with access and functional needs and their families, friends and associates an opportunity to provide information to emergency response agencies, so emergency responders can better plan to serve them in a disaster or other emergency.

More NJ State Mental Health Resources

[DHS Home](#) > [Division of Mental Health and Addiction Services](#) > [Information Center/Announcements](#) > [Stakeholder Information](#)

The NJ Department of Human Services' Division of Mental Health and Addiction Services, in collaboration with the Mental Health Association in New Jersey, makes a valuable resource available to New Jerseyans in need of emotional support due to the coronavirus. The NJ Mental HealthCares Helpline is staffed by trained counselors ready to listen.

Please visit their website at: <https://www.njmentalhealthcares.org/>

NATIONAL RESOURCES

[Post Partum Depression](#). Perinatal mood disorders (PMD) are treatable, but many people do not know the facts. They wait too long to get help, or never seek treatment.

[The American Foundation for Suicide Prevention \(AFSP\)](#) is exclusively dedicated to understanding and preventing suicide through research and education, and to reaching out to people with mood disorders and those impacted by suicide.

[The Center for Mental Health Services \(CMHS\)](#) is the Federal agency within the U.S. Substance Abuse and Mental Health Services Administration (SAMHSA) that leads national efforts to improve prevention and mental health treatment services for all Americans.

[Child and Adolescent Mental Health](#) is a section of the National Institute of Mental Health's website which provides a great deal of information on the mental health issues and concerns of childhood and adolescence.

[National Alliance on Mental Illness \(NAMI\)](#) is dedicated to the eradication of mental illnesses and to the improvement of the quality of life for persons of all ages who are affected by mental illnesses.

[The National Institute of Mental Health \(NIMH\)](#) is the largest scientific organization in the world dedicated to research focused on the understanding, treatment, and prevention of mental disorders and the promotion of mental health.

[The Substance Abuse and Mental Health Services Administration \(SAMHSA\)](#) has established a clear vision for its work — a life in the community for everyone. To realize this vision, the Agency has sharply focused its mission on building resilience and facilitating recovery for people with or at risk for mental or substance use disorders. SAMHSA is gearing all of its resources — programs, policies and grants — toward that outcome.

CDC - CENTERS FOR DISEASE CONTROL AND PREVENTION

DAILY LIFE & COPING

Stress and Coping

Other Languages

[Español](#)

[简体中文](#)

[Tiếng Việt](#)

[한국어](#)

[Other Languages](#)

On This Page

- [Outbreaks can be stressful](#)
- [Everyone reacts differently to stressful situations](#)
- [Take care of yourself and your community](#)
- [Parents](#)
- [People at higher risk](#)
- [Coming out of quarantine](#)
- [Responders](#)

Outbreaks can be stressful

The outbreak of coronavirus disease 2019 (COVID-19) may be stressful for people. Fear and anxiety about a disease can be overwhelming and cause strong emotions in adults and children. **Coping with stress will make you, the people you care about, and your community stronger.**

Stress during an infectious disease outbreak can include

- Fear and worry about your own health and the health of your loved ones
- Changes in sleep or eating patterns
- Difficulty sleeping or concentrating
- Worsening of chronic health problems
- Worsening of mental health conditions
- Increased use of [alcohol](#), [tobacco](#), or [other drugs](#)

Everyone reacts differently to stressful situations

How you respond to the outbreak can depend on your background, the things that make you different from other people, and the community you live in.

People who may respond more strongly to the stress of a crisis include

- Older people and people with chronic diseases who are [at higher risk for severe illness](#) from COVID-19
- Children and teens
- People who are helping with the response to COVID-19, like doctors, other health care providers, and first responders
- People who have mental health conditions including problems with substance use

Take care of yourself and your community

Taking care of yourself, your friends, and your family can help you cope with stress. Helping others cope with their stress can also make your community stronger.

Ways to cope with stress

- **Take breaks from watching, reading, or listening to news stories**, including social media. Hearing about the pandemic repeatedly can be upsetting.

- **Take care of your body.**
 - Take deep breaths, stretch, or [meditate](#).
 - [Try to eat healthy, well-balanced meals](#).
 - [Exercise regularly, get plenty of sleep](#).
 - Avoid [alcohol](#) and drugs.
- **Make time to unwind.** Try to do some other activities you enjoy.
- **Connect with others.** Talk with people you trust about your concerns and how you are feeling.

If you, or someone you care about, are feeling overwhelmed with emotions like sadness, depression, or anxiety, or feel like you want to harm yourself or others:

- Call 911
- Visit the [Disaster Distress Helpline](#) , call 1-800-985-5990, or text TalkWithUs to 66746
- Visit the [National Domestic Violence Hotline](#) or call 1-800-799-7233 and TTY 1-800-787-3224

Know the facts to help reduce stress

Sharing the facts about COVID-19. Understanding the risk to yourself and people you care about can make an outbreak less stressful.

When you share accurate information about COVID-19, you can help make people feel less stressed and make a connection with them.

Related: [Reducing Stigma](#) and [Stop the Spread of Rumors](#)

Take care of your mental health

Call your healthcare provider if stress gets in the way of your daily activities for several days in a row.

People with preexisting mental health conditions should continue with their treatment and be aware of new or worsening symptoms. Additional information can be found at the Substance Abuse and Mental Health Services Administration ([SAMHSA](#)) [Disaster Preparedness](#) page.

Related: [Taking Care of Your Emotional Health](#)

For parents

Children and teens react, in part, on what they see from the adults around them. When parents and caregivers deal with the COVID-19 calmly and confidently, they can provide the best support for their children. Parents can be more reassuring to others around them, especially children, if they are better prepared.

Watch for behavior changes in your child

Not all children and teens respond to stress in the same way. Some common changes to watch for include

- Excessive crying or irritation in younger children
- Returning to behaviors they have outgrown (for example, toileting accidents or bedwetting)
- Excessive worry or sadness
- Unhealthy eating or sleeping habits
- Irritability and “acting out” behaviors in teens
- Poor school performance or avoiding school
- Difficulty with attention and concentration
- Avoidance of activities enjoyed in the past
- Unexplained headaches or body pain
- Use of alcohol, tobacco, or other drugs

Ways to support your child

- [Talk with your child or teen](#) about the COVID-19 outbreak.
- **Answer questions** and [share facts about COVID-19](#) in a way that your child or teen can understand.
- **Reassure your child or teen** that they are safe. Let them know it is ok if they feel upset. Share with them how you deal with your own stress so that they can learn how to cope from you.
- **Limit your family’s exposure to news coverage** of the event, including social media. Children may misinterpret what they hear and can be frightened about something they do not understand.
- **Try to keep up with regular routines.** If schools are closed, create a schedule for learning activities and relaxing or fun activities.
- **Be a role model.** Take breaks, get plenty of sleep, exercise, and eat well. Connect with your friends and family members.

Related: [Caring for Children](#) and [Helping Children Cope](#)

For people at higher risk for serious illness

People [at higher risk for severe illness](#), such as older adults, and people with underlying health conditions are also at increased risk of stress due to COVID-19. Special considerations include:

- Older adults and people with disabilities are at increased risk for having mental health concerns, such as depression.
- Mental health problems can present as physical complaints (such as headaches or stomachaches) or cognitive problems (such as having trouble concentrating).
- Doctors may be more likely to miss mental health concerns among:
 - People with disabilities due to a focus on treating underlying health conditions, compared to people without disabilities.
 - Older adults because [depression can be mistaken for a normal part of aging](#).

Common reactions to COVID-19

- **Concern about protecting oneself** from the virus because they are at higher risk of serious illness.
- **Concern that regular medical care or community services may be disrupted** due to facility closures or reductions in services and public transport closure.
- **Feeling socially isolated**, especially if they live alone or are in a community setting that is not allowing visitors because of the outbreak.
- **Guilt** if loved ones help them with activities of daily living.
- **Increased levels of distress if they:**
 - Have mental health concerns before the outbreak, such as depression.
 - Live in lower-income households or have language barriers.
 - Experience [stigma](#) because of age, race or ethnicity, disability, or perceived likelihood of spreading COVID-19.

Support your loved ones

Check in with your loved ones often. Virtual communication can help you and your loved ones feel less lonely and isolated. Consider connecting with loved ones by:

- Telephone
- Email
- Mailing letters or cards
- Text messages
- Video chat
- Social media

Help keep your loved ones safe.

- **Know what medications your loved one is taking.** Try to help them have a 4-week supply of prescription and over the counter medications, and see if you can help them have extra on hand.
- **Monitor other medical supplies** (oxygen, incontinence, dialysis, wound care) needed and create a back-up plan.
- **Stock up on non-perishable food** (canned foods, dried beans, pasta) to have on hand in your home to minimize trips to stores.
- If you care for a loved one living in a care facility, monitor the situation, and speak with facility administrators or staff over the phone. Ask about the health of the other residents frequently and know the protocol if there is an outbreak.

Take care of your own emotional health. Caring for a loved one can take an emotional toll, especially during an outbreak like COVID-19. There are ways to support yourself.

Stay home if you are sick. Do not visit family or friends who are at greater risk for severe illness from COVID-19. Use virtual communication to keep in touch to support your loved one and keep them safe.

What health care providers can do

- **Help connect people with family and loved ones** to help lower distress and feelings of

social isolation.

- **Let older adults and people with disabilities know it is common for people to feel distressed during a crisis.** Remind them that asking for and accepting help is a sign of strength.
- **Have a procedure and referrals ready** for anyone who shows severe distress or expresses a desire to hurt him or herself or someone else.
- See [SAMHSA Coronavirus \(COVID-19\) Resources and Information](#)

What communities can do

Community preparedness planning for COVID-19 should include older adults and people with disabilities, and the organizations that support them in their communities, to ensure their needs are taken into consideration.

- Many of these individuals live in the community, and many depend on services and supports provided in their homes or in the community to maintain their health and independence.
- **Long-term care facilities should be vigilant** to prevent the introduction and spread of COVID-19. [See guidance for long-term care facilities and nursing homes.](#)

• For people coming out of quarantine

It can be stressful to be separated from others if a healthcare provider thinks you may have been exposed to COVID-19, even if you do not get sick. Everyone feels differently after coming out of quarantine.

Emotional reactions to coming out of quarantine may include

- Mixed emotions, including relief after quarantine
- Fear and worry about your own health and the health of your loved ones
- Stress from the experience of monitoring yourself or being monitored by others for signs and symptoms of COVID-19
- Sadness, anger, or frustration because friends or loved ones have unfounded fears of contracting the disease from contact with you, even though you have been determined not to be contagious
- Guilt about not being able to perform normal work or parenting duties during quarantine
- Other emotional or mental health changes

Children may also feel upset or have other strong emotions if they, or someone they know, has been released from quarantine.

For responders

Responding to COVID-19 can take an emotional toll on you, and you may experience secondary traumatic stress. Secondary traumatic stress is stress reactions and symptoms resulting from exposure to another individual's traumatic experiences, rather than from exposure directly to a traumatic event.

There are things you can do to reduce secondary traumatic stress reactions:

- Acknowledge that secondary traumatic stress can impact anyone helping families after a traumatic event.
- Learn the symptoms including physical (fatigue, illness) and mental (fear, withdrawal, guilt).
- Allow time for you and your family to recover from responding to the pandemic.
- Create a menu of personal self-care activities that you enjoy, such as spending time with friends and family, exercising, or reading a book.
- Take a break from media coverage of COVID-19.
- Ask for help if you feel overwhelmed or concerned that COVID-19 is affecting your ability to care for your family and patients as you did before the outbreak.

Learn more [tips for taking care of yourself](#) during emergency response.

Get more information about stress management for first responders from the [Disaster Technical Assistance Center](#) (SAMHSA).

[Reducing Stigma](#)

[Stop the Spread of Rumors](#)

Resources

For Everyone

- [Coping with a Disaster or Traumatic Event](#)
- [Coronavirus Tax Relief and Economic Impact Payments](#)

For Communities

- [Coping with Stress During an Infectious Disease Outbreak](#)
- [Taking Care of Your Behavioral Health during an Infectious Disease Outbreak](#)

For Families and Children

- [Helping Children Cope with Emergencies](#)
- [Coping After a Disaster](#) – A Ready Wrigley activity book for children age 3-10

For First Responders

- [Emergency Responders: Tips for Taking Care of Yourself](#)
- [Disaster Technical Assistance Center](#) (SAMHSA)

Content source: [National Center for Immunization and Respiratory Diseases \(NCIRD\)](#), [Division of Viral Diseases](#)

American Psychological Association website

<https://www.apa.org/topics/covid-19/>